

考題

品質更高
服務更好



我們提供：

一年免費升級服務

<http://www.killtest.net>

Exam : **117-102**

Title : Lpi Level 1 Exam 102

Version : DEMO

1.What word is missing from the following SQL statement?

update tablename _____ fieldname='value' where id=909;

ANSWER: SET,SET

2.Which of the following configuration files should be modified to set default shell variables for all users?

A./etc/bashrc

B./etc/profile

C.~default/.bash_profile

D./etc/skel/.bashrc

E./etc/skel/.bash_profile

Answer: B

3.To test a shell script called myscript, the environment variable FOOBAR must be removed temporarily. How can this be done?

A.unset -v FOOBAR

B.set -a FOOBAR=""

C.env -u FOOBAR myscript

D.env -i FOOBAR myscript

Answer: C

4.Which command will print the exit value of the previous command to the screen in bash?

A.echo \$?

B.echo \$#

C.echo \$exit

D.echo \$status

E.echo \$&

Answer: A

5.What word will complete an if statement in bash such as the following:

if [-x "\$file"]; then echo \$file

(Please provide the missing word only)

ANSWER: FI

6.Which of the following words is used to restrict the records that are returned from a SELECT query based on a supplied criteria for the values in the records?

A.LIMIT

B.FROM

C.WHERE

D.IF

Answer: C

7.In the following command and its output,

echo \$\$ 12942

what is 12942?

- A.the process ID of the echo command
- B.the process ID of the current shell
- C.the process ID of the last command executed
- D.the process ID of the last backgrounded command

Answer: B

8.By default, which directories contents will be copied to a new user's home directory when the account is created, passing the -m option to the useradd command?

ANSWER: /ETC/SKEL,/ETC/SKEL/

9.What output will the following command seq 10 produce?

- A.A continuous stream of numbers increasing in increments of 10 until stopped.
- B.The numbers 1 through 10 with one number per line.
- C.The numbers 0 though 9 with one number per line.
- D.The number 10 to standard output.

Answer: B

10.Which command allows you to make a shell variable visible to subshells?

- A.export \$VARIABLE
- B.export VARIABLE
- C.set \$VARIABLE
- D.set VARIABLE
- E.env VARIABLE

Answer: B

11.Which bash option will prevent you from overwriting a file with a ">"?

- A.set -o safe
- B.set -o noglob
- C.set -o noclobber
- D.set -o append
- E.set -o nooverwrite

Answer: C

12.What output will the following command produce?

seq 1 5 20

- A.1 6 11 16
- B.1 5 10 15
- C.1 2 3 4
- D.2 3 4 5
- E.5 10 15 20

Answer: A

13.Which of the following SQL statements will select the fields name and address from the contacts table?

- A.SELECT (name, address) FROM contacts;
- B.SELECT (name address) FROM contacts;
- C.SELECT name, address FROM contacts;
- D.SELECT name address FROM contacts;

Answer: C

14.Which of the following find commands will print out a list of suid root files in /usr?

- A.find /usr -uid 0 -perm +4000
- B.find -user root +mode +s /usr
- C.find -type suid -username root -d /usr
- D.find /usr -ls *s* -u root
- E.find /usr -suid -perm +4000

Answer: A

15.Which command is used to display user resource limits?

- A.uname
- B.limit -a
- C.usrlmt
- D.ulimit

Answer: D

16.Which configuration file would you edit to change default options for outbound ssh sessions?

- A./etc/ssh/sshd_config
- B./etc/ssh/ssh
- C./etc/ssh/client
- D./etc/ssh/ssh_config
- E./etc/ssh/ssh_client

Answer: D

17.When using ssh, what can you do to recover a lost passphrase for a DSA or RSA authentication key?

- A.Run the ssh-keygen command.
- B.Run the ssh -recover command.
- C.A lost passphrase cannot be recovered.
- D.Decrypt the authentication key with gpg.
- E.Decrypt the authentication key with ssh -decrypt.

Answer: C

18.Which file lists which users can execute commands using sudo? (Provide the full path and filename)

ANSWER: /ETC/SUDOERS

19.Which configuration file does sudo read when determining if a user is permitted to run applications with root privileges?

- A./etc/groups
- B./etc/passwd

- C./etc/sudoers
 - D./etc/sudo.conf
- Answer: C

20.Which of the following programs uses the hosts.allow file to perform its main task of checking for access control restrictions to system services?

- A.tcpd
- B.inetd
- C.fingerd
- D.mountd
- E.xinetd

Answer: A